


Z-SEAL (CONFLAT®VARIAN) FLANGES (4⁵/₈" - 6")



4⁵/₈"

PART NUMBER	REFERENCE NUMBER	DESCRIPTION	O	A	B	C	NO. OF HOLES	HOLE SIZE	S	T	*PRICE \$
100311	462-000FN	Fixed Blank	4.62	-	-	4.03	10	.33	-	.75	60
100312	462-300FN	Fixed Bored	4.62	2.87	3.01	4.03	10	.33	.37	.75	60
100112	462-000FR	Rotatable Blank	4.62	-	-	4.03	10	.33	-	.81	67
100113	462-300FR	Rotatable Bored	4.62	2.87	3.01	4.03	10	.33	.37	.81	67

* For tapped flanges add \$ 10.

ASSEMBLY HARDWARE

PART NUMBER	REFERENCE NUMBER	DESCRIPTION	QTY/PKG	PRICE \$
160006	CVG-300	Copper Gaskets	10	45
160509	BNW-24	Bolt Kit (5/16-24 X 2") 12 pt.	25	32
160507	BW-20	Bolt Kit (5/16-24 X 1 1/4") 12 pt.Tapped Flange	25	29

6"

PART NUMBER	REFERENCE NUMBER	DESCRIPTION	O	A	B	C	NO. OF HOLES	HOLE SIZE	S	T	*PRICE \$
100313	600-000FN	Fixed Blank	5.97	-	-	5.12	16	.33	-	.78	76
100314	600-400FN	Fixed Bored	5.97	3.81	4.01	5.12	16	.33	.43	.78	76
100114	600-000FR	Rotatable Blank	5.97	-	-	5.12	16	.33	-	.87	89
100115	600-400FR	Rotatable Bored	5.97	3.81	4.01	5.12	16	.33	.43	.87	89

* For tapped flanges add \$ 15.

ASSEMBLY HARDWARE

PART NUMBER	REFERENCE NUMBER	DESCRIPTION	QTY/PKG	PRICE \$
160007	CVG-400	Copper Gaskets	10	51
160509	BNW-24	Bolt Kit (5/16-24 X 2") 12 pt.	25	32
160507	BW20	Bolt Kit (5/16-24 X 1 1/4") 12 pt.Tapped Flange	25	29

For tapped flanges add a "T" to the part number. Tapped thread size is 5/16-24.
Flanges may be bored any size at no extra charge.

