

ROUGHING ACCESSORIES

- [\[Braided Flexible Hose \]](#) [\[Coaxial Foreline Traps \]](#)
[\[High Pressure Flexible Hose \]](#) [\[Molecular Sieve Traps \]](#)
[\[Titanium Sublimation Pump Nipple \]](#)
[\[Unbraided Flexible Hose \]](#) [\[Vent & Back Fill Valves \]](#)

UNBRAIDED FLEXIBLE STAINLESS STEEL HOSE

- Type 321 stainless steel construction
- Highly flexible
- All metal flange hose bakeable to 450°C
- O-Ring Connectors bakeable to 200°C
- Other lengths & connector combinations are available on request

• Braided hose available for high pressure applications. See page 58-62 for details.

PART NUMBER	REFERENCE NUMBER	TUBE O.D.	HOSE LENGTH	DESCRIPTION	PRICE \$
150660	UB025-18-N	1/4	18"	1/4" O.D. Nipples both ends	88
150661	UB025-18-VCR	1/4	18"	1/4" VCR both ends *	109
150662	UB025-18-VCO	1/4	18"	1/4" VCO both ends *	109
150663	UB025-18-SW	1/4	18"	1/4" Swagelok both ends *	109
150664	UB025-18-COM	1/4	18"	Any combination of the above	109
150665	UB025-24-N	1/4	24"	1/4" O.D. Nipples both ends	98
150666	UB025-24-VCR	1/4	24"	1/4" VCR both ends	119
150667	UB025-24-VCO	1/4	24"	1/4" VCO both ends	119
150668	UB025-24-SW	1/4	24"	1/4" Swagelok both ends	119
150669	UB025-24-COM	1/4	24"	Any combination of the above	119
150670	UB025-36-N	1/4	36"	1/4" O.D. Nipples both ends	118
150671	UB025-36-VCR	1/4	36"	1/4" VCR both ends	139
150672	UB025-36-VCO	1/4	36"	1/4" VCO both ends	139
150673	UB025-36-SW	1/4	36"	1/4" Swagelok both ends	139
150674	UB025-36-COM	1/4	36"	Any combination of the above	139
150675	UB025-48-N	1/4	48"	1/4" O.D. Nipples both ends	131
150676	UB025-48-VCR	1/4	48"	1/4" VCR both ends	152
150677	UB025-48-VCO	1/4	48"	1/4" VCO both ends	152
150678	UB025-48-SW	1/4	48"	1/4" Swagelok both ends	152
150679	UB025-48-COM	1/4	48"	Any combination of the above	152
150680	UB050-18-N	1/2	18"	1/2" O.D. Nipples both ends	93
150681	UB050-18-VCR	1/2	18"	1/2" VCR both ends	121
150682	UB050-18-VCO	1/2	18"	1/2" VCO both ends	121
150683	UB050-18-SW	1/2	18"	1/2" Swagelok both ends	121
150684	UB050-18-COM	1/2	18"	Any combination of the above	121

Additional 1/2", 3/4", 1", 1-1/2", 2", 3" and 4" tube size hose lengths are continued on next four pages.
 *VCR, VCO and Swagelok are trade names of Crawford Fittings Co.

ROUGHING ACCESSORIES

- [\[Braided Flexible Hose \]](#) [\[Coaxial Foreline Traps \]](#)
[\[High Pressure Flexible Hose \]](#) [\[Molecular Sieve Traps \]](#)
[\[Titanium Sublimation Pump Nipple \]](#)
[\[Unbraided Flexible Hose \]](#) [\[Vent & Back Fill Valves \]](#)

UNBRAIDED FLEXIBLE STAINLESS STEEL HOSE

Continued from previous page

PART NUMBER	REFERENCE NUMBER	TUBE O.D.	HOSE LENGTH	DESCRIPTION	PRICE \$
150685	UB050-24-N	1/2	24"	1/2" O.D. Nipples both ends	103
150686	UB050-24-VCR	1/2	24"	1/2" VCR both ends	131
150687	UB050-24-VCO	1/2	24"	1/2" VCO both ends	131
150688	UB050-24-SW	1/2	24"	1/2" Swagelok both ends	131
150689	UB050-24-COM	1/2	24"	Any combination of the above	131
150690	UB050-36-N	1/2	36"	1/2" O.D. Nipples both ends	123
150691	UB050-36-VCR	1/2	36"	1/2" VCR both ends	151
150692	UB050-36-VCO	1/2	36"	1/2" VCO both ends	151
150693	UB050-36-SW	1/2	36"	1/2" Swagelok both ends	151
150694	UB050-36-COM	1/2	36"	Any combination of the above	151
150695	UB050-48-N	1/2	48"	1/2" O.D. Nipples both ends	143
150696	UB050-48-VCR	1/2	48"	1/2" VCR both ends	164
150697	UB050-48-VCO	1/2	48"	1/2" VCO both ends	164
150698	UB050-48-SW	1/2	48"	1/2" Swagelok both ends	164
150699	UB050-48-COM	1/2	48"	Any combination of the above	164
150700	UB075-18-N	3/4	18"	3/4" O.D. Nipples both ends	96
150701	UB075-18-133	3/4	18"	Z-Seal 1 1/3 O.D. Mini flange both ends	116
150702	UB075-18-QD	3/4	18"	3/4" I.D. Viton sealed Quick-Disconnect both ends	144
150703	UB075-18-NW	3/4	18"	NW-16 flange both ends	117
150704	UB075-18-NW5W	3/4	18"	NW-16 flange and Welch 5 CFM adapter	123
150705	UB075-24-N	3/4	24"	3/4" O.D. Nipples both ends	111
150706	UB075-24-133	3/4	24"	Z-Seal 1 1/3 O.D. Mini flange both ends	133
150707	UB075-24-QD	3/4	24"	3/4" I.D. Viton sealed Quick-Disconnect both ends	161
150708	UB075-24-NW	3/4	24"	NW-16 flange both ends	123
150709	UB075-24-NW5W	3/4	24"	NW-16 flange and Welch 5 CFM adapter	134
150710	UB075-36-N	3/4	36"	3/4" O.D. Nipples both ends	128
150711	UB075-36-133	3/4	36"	Z-Seal 1 1/3 O.D. Mini flange both ends	150
150712	UB075-36-QD	3/4	36"	3/4" I.D. Viton sealed Quick - Disconnect both ends	178
150713	UB075-36-NW	3/4	36"	NW-16 flange both ends	139
150714	UB075-36-NW5W	3/4	36"	NW-16 flange and Welch 5 CFM adapter	144
150715	UB075-48-N	3/4	48"	3/4" O.D. Nipples both ends	161
150716	UB075-48-133	3/4	48"	Z-Seal 1 1/3 O.D. Mini flange both ends	182
150717	UB075-48-QD	3/4	48"	3/4" I.D. Viton sealed Quick-Disconnect both ends	211

Additional 3/4", 1", 1-1/2", 2", 3" and 4" tube size hose lengths are continued on next three pages

ROUGHING ACCESSORIES

[Braided Flexible Hose] [Coaxial Foreline Traps]
 [High Pressure Flexible Hose] [Molecular Sieve Traps]
 [Titanium Sublimation Pump Nipple]
 [Unbraided Flexible Hose] [Vent & Back Fill Valves]

UNBRAIDED FLEXIBLE STAINLESS STEEL HOSE

Continued from previous page

PART NUMBER	REFERENCE NUMBER	TUBE O.D.	HOSE LENGTH	DESCRIPTION	PRICE \$
150718	UB075-48-NW	3/4	48"	NW-16 flange both ends	172
150719	UB075-48-NW5W	3/4	48"	NW-16 flange and Welch 5 CFM adapter	178
150720	UB100-18-N	1	18"	1" O.D. Nipples both ends	106
150721	UB100-18-212	1	18"	Z-Seal 2 1/8" O.D. flange both ends	117
150722	UB100-18-QD	1	18"	1" I.D. Viton sealed Quick-Disconnect both ends	150
150723	UB100-18-NW	1	18"	NW-25 flange both ends	117
150724	UB100-18-NW5W	1	18"	NW-25 flange and Welch 5 CFM adapter	123
150725	UB100-24-N	1	24"	1" O.D. Nipples both ends	117
150726	UB100-24-212	1	24"	Z-Seal 2 1/8" O.D. flange both ends	128
150727	UB100-24-QD	1	24"	1" I.D. Viton sealed Quick-Disconnect both ends	167
150728	UB100-24-NW	1	24"	NW-25 flange both ends	133
150729	UB100-24-NW5W	1	24"	NW-25 flange and Welch 5 CFM adapter	139
150730	UB100-36-N	1	36"	1" O.D. Nipples both ends	133
150731	UB100-36-212	1	36"	Z-Seal 2 1/8" O.D. flange both ends	150
150732	UB100-36-QD	1	36"	1" I.D. Viton sealed Quick-Disconnect both ends	183
150733	UB100-36-NW	1	36"	NW-25 flange both ends	150
150734	UB100-36-NW5W	1	36"	NW-25 flange and Welch 5 CFM adapter	156
150735	UB100-48-N	1	48"	1" O.D. Nipples both ends	144
150736	UB100-48-212	1	48"	Z-Seal 2 1/8" O.D. flange both ends	167
150737	UB100-48-QD	1	48"	1" I.D. Viton sealed Quick-Disconnect both ends	196
150738	UB100-48-NW	1	48"	NW-25 flange both ends	166
150739	UB100-48-NW5W	1	48"	NW-25 flange and Welch 5 CFM adapter	171
150740	UB150-18-N	1 1/2	18"	1 1/2" O.D. Nipples both ends	139
150741	UB150-18-275	1 1/2	18"	Z-Seal 2 3/4" O.D. flange both ends	156
150742	UB150-18-QD	1 1/2	18"	1 1/2" I.D. Viton sealed Quick-Disconnect both ends	267
150743	UB150-18-275-17W	1 1/2	18"	2 3/4" O.D. flange and Welch 17.7 CFM adapter	161
150744	UB150-18-275- 5W	1 1/2	18"	2 3/4" O.D. flange and Welch 5 CFM adapter	156
150745	UB150-18-NW	1 1/2	18"	NW-40 flange both ends	157
150746	UB150-18-NW17W	1 1/2	18"	NW-40 flange and Welch 17.7 CFM adapter	161
150747	UB150-18-NW5W	1 1/2	18"	NW-40 flange and Welch 5 CFM adapter	156
150748	UB150-24-N	1 1/2	24"	1 1/2" O.D. Nipples both ends	150
150749	UB150-24-275	1 1/2	24"	Z-Seal 2 3/4" O.D. flange both ends	172

Additional 1-1/2", 2", 3" and 4" tube size hose lengths are continued on next two pages

[Home] [Company] [Products] [Services] [Catalog] [Custom]

ROUGHING ACCESSORIES

- [\[Braided Flexible Hose \]](#) [\[Coaxial Foreline Traps \]](#)
[\[High Pressure Flexible Hose \]](#) [\[Molecular Sieve Traps \]](#)
[\[Titanium Sublimation Pump Nipple \]](#)
[\[Unbraided Flexible Hose \]](#) [\[Vent & Back Fill Valves \]](#)

UNBRAIDED FLEXIBLE STAINLESS STEEL HOSE

Continued from previous page

PART NUMBER	REFERENCE NUMBER	TUBE O.D.	HOSE LENGTH	DESCRIPTION	PRICE \$
150750	UB150-24-QD	1 1/2	24"	1 1/2" I.D. Viton sealed Quick-Disconnect both ends	283
150751	UB150-24-275-17W	1 1/2	24"	2 3/4" O.D. flange and Welch 17.7 CFM adapter	183
150752	UB150-24-275- 5W	1 1/2	24"	2 3/4" O.D. flange and Welch 5 CFM adapter	178
150753	UB150-24-NW	1 1/2	24"	NW-40 flange both ends	172
150754	UB150-24-NW17W	1 1/2	24"	NW-40 flange and Welch 17.7 CFM adapter	187
150755	UB150-24-NW5W	1 1/2	24"	NW-40 flange and Welch 5 CFM adapter	178
150756	UB150-36-N	1 1/2	36"	1 1/2" O.D. Nipples both ends	189
150757	UB150-36-275	1 1/2	36"	Z-Seal 2 3/4" O.D. flange both ends	211
150758	UB150-36-QD	1 1/2	36"	1 1/2" I.D. Viton sealed Quick-Disconnect both ends	322
150759	UB150-36-275-17W	1 1/2	36"	2 3/4" O.D. flange and Welch 17.7 CFM adapter	222
150760	UB150-36-275- 5W	1 1/2	36"	2 3/4" O.D. flange and Welch 5 CFM adapter	250
150761	UB150-36-NW	1 1/2	36"	NW-40 flange both ends	211
150762	UB150-36-NW17W	1 1/2	36"	NW-40 flange and Welch 17.7 CFM adapter	222
150763	UB150-48-N	1 1/2	48"	1 1/2" O.D. Nipples both ends	206
150764	UB150-48-275	1 1/2	48"	Z-Seal 2 3/4" O.D. flange both ends	267
150765	UB150-48-QD	1 1/2	48"	1 1/2" I.D. Viton sealed Quick-Disconnect both ends	383
150766	UB150-48-275-17W	1 1/2	48"	2 3/4" O.D. flange and Welch 17.7 CFM adapter	283
150767	UB150-48-275- 5W	1 1/2	48"	2 3/4" O.D. flange and Welch 5 CFM adapter	278
150768	UB150-48-NW	1 1/2	48"	NW-40 flange both ends	267
150769	UB150-48-NW17W	1 1/2	48"	NW-40 flange and Welch 17.7 CFM adapter	283
150770	UB150-48-NW5W	1 1/2	48"	NW-40 flange and Welch 5 CFM adapter	278
150771	UB200-18-N	2	18"	2" O.D. Nipples both ends	144
150772	UB200-18-337	2	18"	Z-Seal 3 3/8" O.D. flange both ends	189
150773	UB200-18-QD	2	18"	2" I.D. Viton sealed Quick-Disconnect both ends	289
150774	UB200-18-NW	2	18"	NW-50 flange both ends	172
150775	UB200-18-NW17W	2	18"	NW-50 flange and Welch 17.7 CFM adapter	178
150776	UB200-24-N	2	24"	2" O.D. Nipples both ends	178
150777	UB200-24-337	2	24"	Z-Seal 3 3/8" O.D. flange both ends	217
150778	UB200-24-QD	2	24"	2" I.D. Viton sealed Quick-Disconnect both ends	317
150779	UB200-24-NW	2	24"	NW-50 flange both ends	194
150780	UB200-24-NW17W	2	24"	NW-50 flange and Welch 17.7 CFM adapter	206

Additional 2", 3" and 4" tube size hose lengths are continued on next page

ROUGHING ACCESSORIES

[\[Braided Flexible Hose \]](#) [\[Coaxial Foreline Traps \]](#)
[\[High Pressure Flexible Hose \]](#) [\[Molecular Sieve Traps \]](#)
[\[Titanium Sublimation Pump Nipple \]](#)
[\[Unbraided Flexible Hose \]](#) [\[Vent & Back Fill Valves \]](#)

UNBRAIDED FLEXIBLE STAINLESS STEEL HOSE

Continued from previous page

PART NUMBER	REFERENCE NUMBER	TUBE O.D.	HOSE LENGTH	DESCRIPTION	PRICE \$
150781	UB200-36-N	2	36"	2" O.D. Nipples both ends	206
150782	UB200-36-337	2	36"	Z-Seal 3 3/8" O.D. flange both ends	250
150783	UB200-36-QD	2	36"	2" I.D. Viton sealed Quick-Disconnect both ends	350
150784	UB200-36-NW	2	36"	NW-50 flange both ends	228
150785	UB200-36-NW17W	2	36"	NW-50 flange and Welch 17.7 CFM adapter	239
150786	UB200-48-N	2	48"	2" O.D. Nipples both ends	228
150787	UB200-48-337	2	48"	Z-Seal 3 3/8" O.D. flange both ends	306
150788	UB200-48-QD	2	48"	2" I.D. Viton sealed Quick-Disconnect both ends	411
150789	UB200-48-NW	2	48"	NW-50 flange both ends	289
150790	UB200-48-NW17W	2	48"	NW-50 flange and Welch 17.7 CFM adapter	300
150791	UB300-18-N	3	18"	3" O.D. Nipples both ends	189
150792	UB300-18-462	3	18"	Z-Seal 4 5/8" O.D. flange both ends	311
150793	UB300-18-ISO	3	18"	ISO-300 flange both ends	311
150794	UB300-24-N	3	24"	3" O.D. Nipples both ends	222
150795	UB300-24-462	3	24"	Z-Seal 4 5/8" O.D. flange both ends	294
150796	UB300-24-ISO	3	24"	ISO-300 flange both ends	283
150797	UB300-36-N	3	36"	3" O.D. Nipples both ends	267
150798	UB300-36-462	3	36"	Z-Seal 4 5/8" O.D. flange both ends	339
150799	UB300-36-ISO	3	36"	ISO-300 flange both ends	328
150800	UB300-48-N	3	48"	3" O.D. Nipples both ends	328
150801	UB300-48-462	3	48"	Z-Seal 4 5/8" O.D. flange both ends	406
150802	UB300-48-ISO	3	48"	ISO-300 flange both ends	389
150803	UB400-18-N	4	18"	4" O.D. Nipples both ends	278
150804	UB400-18-600	4	18"	Z-Seal 6" O.D. flange both ends	472
150805	UB400-24-N	4	24"	4" O.D. Nipples both ends	306
150806	UB400-24-600	4	24"	Z-Seal 6" O.D. flange both ends	450
150807	UB400-24-ISO	4	24"	ISO-400 flange both ends	433
150808	UB400-36-N	4	36"	4" O.D. Nipples both ends	361
150809	UB400-36-600	4	36"	Z-Seal 6" O.D. flange both ends	506
150810	UB400-36-ISO	4	36"	ISO-400 flange both ends	489
150811	UB400-48-ISO	4	48"	ISO-400 flange both ends	489